|  | Application N .                      | Applicant(s)               |
|--|--------------------------------------|----------------------------|
|  | Application is .                     | Approant(s)                |
| Notice of Allowability   | 09/989,527                           | OSHIMA, YASUHITO           |
|  | Examiner                             | Art Unit                   |
|  | Barbara Gilliam                      | 1752                       |
| The MAILING DATE of this communication appears on the c ver sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.   |                                      |                            |
| 1. This communication is responsive to <u>amendment filed 10/3/2003</u> .  |                                      |                            |
| 2. The allowed claim(s) is/are 13-28.  |                                      |                            |
| 3. The drawings filed on are accepted by the Examiner.   |                                      |                            |
| <ul> <li>4.</li></ul>  |                                      |                            |
| 1.  Certified copies of the priority documents have been received.   |                                      |                            |
| 2. Certified copies of the priority documents have been received in Application No   |                                      |                            |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the   |                                      |                            |
| International Bureau (PCT Rule 17.2(a)).   |                                      |                            |
| <ul> <li>* Certified copies not received:</li> <li>5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.</li> <li>(a) The translation of the foreign language provisional application has been received.</li> <li>6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.</li> </ul> |                                      |                            |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |                                      |                            |
| 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |                                      |                            |
| <ul> <li>8.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1)  hereto or 2)  to Paper No</li> </ul>   |                                      |                            |
| <ul><li>(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.</li><li>(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No</li></ul>  |                                      |                            |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).  |                                      |                            |
| 9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.  |                                      |                            |
| Attachment(s)  |                                      |                            |
| 1⊠ Notice of References Cited (PTO-892)  | 5☐ Notice of Informal Pa             | tent Application (PTO-152) |
| 2 Notice of Draftperson's Patent Drawing Review (PTO-948)  | -                                    | PTO-413), Paper No         |
| 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No.   | ), 7☐ Examiner's Amendme             | ent/Comment                |
| 4 Examiner's Comment Regarding Requirement for Deposit of Biological Material  | 8⊠ Examiner's Statemen<br>9⊡ Other . | t of Reasons for Allowance |
|  |                                      |                            |

Application/Control Number: 09/989,527 Page 2

Art Unit: 1752

#### **DETAILED ACTION**

### Response to Amendment

- 1. The amendment filed October 3, 2003 has been received and entered.
- 2. Claims 1–12 were canceled and claims 13-28 were added.
- 3. All rejections of record are withdrawn in light of the new claims of record.

## **Priority**

4. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

# Allowable Subject Matter

- 5. Claims 13-28 are allowed.
- 6. The following is an examiner's statement of reasons for allowance:
- a. Claims 13-21 require the presence of an infrared absorber. There is no suggestion to add an infrared absorber to the photosensitive resin composition of Tamada et al. (US 5,750,313 column 8, lines 52-61). With respect to claims 22, 26-27 and 28, the modified polyvinyl alcohol of Tamada et al. does not contain a structural unit that would meet the present limitations for repeating units represented by formula (II, formula (II-A) or formula (II-B). With respect to claims 23-25, there is no teaching or suggestion of a titanocene compound (photopolymerization initiator) in the photosensitive resin composition Tamada et al.
- b. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/989,527 Page 3

Art Unit: 1752

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

- 7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- a. In US 2002/0182539 A1, US 2003/0146965 A1 and US 2003/0008239 A1 Fujimaki et al. teach image-recording materials.
- b. In US 2002/0136987 A1, Oshima teaches a photosensitive lithographic printing plate.
  - c. In US 4,517,277, Lynch et al. teach photosensitive recording materials.
- d. In US 4,340,686, Foss teaches flexographic printing plates comprising carbamated poly(vinyl alcohol) binder.
- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara Gilliam whose telephone number is 571-272-1330. The examiner can normally be reached on Monday through Thursday, 8:00 AM 5:30 PM.
- a. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on 571-272-1385. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 09/989,527

Art Unit: 1752

Any inquiry of a general nature or relating to the status of this application b. or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Barbara Gilliam Examiner, AU 1752 December 18, 2003

MARK F. HUFF SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700

Page 4